ELSEVIER

Nuclear Engineering and Design 157 (1995) 493–495

Nuclear Engineering and Design

Author Index of Volume 157

Abdel-Khalik, S.I., see Kamboj, B.K. 157 (1995) 205
Akiyama, H., see Nakagawa, M. 157 (1995) 27
Almenas, K., see Ušpuras, E. 157 (1995) 353
Alsmeyer, H., see Tromm, W. 157 (1995) 437
Au-Yang, M.K., B. Brenneman and D. Raj, Flow-induced vibration test of an advanced water reactor model Part 1: turbulence-induced forcing function 157 (1995) 93

Bárta, J., see Bystrianský, J. 157 (1995) 123
Bergamaschi, Y., see Szabo, I. 157 (1995) 417
Bittermann, D., see Weisshäupl, H.A. 157 (1995) 447
Brenneman, B., see Au-Yang, M.K. 157 (1995) 93
Bystrianský, J., J. Bárta, M. Tvrdý and K. Malaník, Determination of conditions leading to localized corrosion initiation on UNS S32100 (AISI 321) stainless steels in nuclear power plant environments 157 (1995) 123

Corwin, W.R., see Pennell, W.E. 157 (1995) 159
Crutzen, S., see Doctor, S.R. 157 (1995) 231

Dameron, R.A., see Tang, H.T. 157 (1995) 455
DeVine, Jr., J.C., W. Layman, D.E.W. Leaver and J. Santucci, The passive ALWR approach to assuring containment integrity 157 (1995) 469
Dobmann, G., M. Kröning, W. Theiner, H. Willems and U. Fiedler, Nondestructive characterization of materials (ultrasonic and micromagnetic techniques) for strength and toughness prediction and the detection of early creep damage 157 (1995) 137
Doctor, S.R., P. Lemaitre and S. Crutzen, Austenitic steel piping testing exercises in PISC 157 (1995) 231
Drubay, B., see Laiarinandrasana, L. 157 (1995) 1

Eguchi, Y., see Kimura, K. 157 (1995) 49
Endo, H., see Nakagawa, M. 157 (1995) 15

Faidy, C., see Laiarinandrasana, L. 157 (1995) 1
Fiedler, U., see Dobmann, G. 157 (1995) 137
Fukuda, K., S. Kashimura, T. Tobita and T. Kikuchi, Irradiation behavior of HTGR coated particle fuel at abnormally high temperature 157 (1995) 221
Fukuyama, M., see Nakagawa, M. 157 (1995) 27

Ghiaasiaan, S.M., see Kamboj, B.K. 157 (1995) 205

Ha, J.L, B.C. Sun and B. Koplik, Local stress factors of a pipe–nozzle under internal pressure 157 (1995) 81
Hagiwara, Y., see Kimura, K. 157 (1995) 49
Hagiwara, Y., see Nakagawa, M. 157 (1995) 27
Hardtke, K.-D., see Moussavi Zadeh, G. 157 (1995) 111
Haschke, D., see Rust, H. 157 (1995) 337
Heck, R., G. Kelber, K. Schmidt and H.J. Zimmer, Hydrogen reduction following severe accidents using the dual recombiner–igniter concept 157 (1995) 311
Heintz, W., see Rust, H. 157 (1995) 337
Hocke, K.-D., see Schatz, A. 157 (1995) 269
Horiuchi, T., M. Nakagawa and H. Kasai, Development of SAFA, a seismic analysis program for FBR core components 157 (1995) 37
Hurlebaus, D., see Reim, W. 157 (1995) 321

Ikeuchi, H., see Nakagawa, M. 157 (1995) 27
Ishihama, K., see Nakagawa, M. 157 (1995) 27
Iwata, K., see Okada, J. 157 (1995) 65

Jacobs, G., Fluid-dynamic loading during lower head failure 157 (1995) 409
Jakab, R., see Rust, H. 157 (1995) 337

Kaliatka, A., see Ušpuras, E. 157 (1995) 353
Kamboj, B.K., E.M. Ritenour, S.M. Ghiaasiaan and S.I. Abdel-Khalik, Gravity-driven countercurrent two-phase flow during filling of an unvented vessel 157 (1995) 205
Kappes, W., see Schmitz, V. 157 (1995) 245

Karwat, H., The evaluation of the bubble condenser containment of VVER-440/213 plants 157 (1995) 363
Kasai, H., see Horiuchi, T. 157 (1995) 37
Kashimura, S., see Fukuda, K. 157 (1995) 221
Kawashima, M., see Nakagawa, M. 157 (1995) 15
Kelber, G., see Heck, R. 157 (1995) 311
Kikuchi, T., see Fukuda, K. 157 (1995) 221
Kimura, K., K. Ogura, T. Mieda, K. Yamamoto, Y. Eguchi, S. Moriya, Y. Hagiwara, M. Takakuwa, T. Kodama and K. Koike, 157 (1995) 49
Kodama, T., see Kimura, K. 157 (1995) 49
Koike, K., see Kimura, K. 157 (1995) 49
Kolditz, J., GKN I and GKN II: Reactor containment pressure relief and measures against hydrogen energy release in case of severe accidents 157 (1995) 299
Koplik, B., see Ha, J.L. 157 (1995) 81
Kröning, M., see Dobmann, G. 157 (1995) 137
Kröning, M., see Schmitz, V. 157 (1995) 245

Laiarinandrasana, L., R. Piques, B. Drubay and C. Faidy, Crack initiation under creep and creep–fatigue on CT specimens of an austenitic stainless steel 157 (1995) 1
Laitha, G., see Téchy, Z. 157 (1995) 375
Langenberg, K.J., see Schmitz, V. 157 (1995) 245
Layman, W., see DeVine, Jr., J.C. 157 (1995) 469
Leaver, D.E.W., see DeVine, Jr., J.C. 157 (1995) 469
Lee, K.B., Analytical prediction of subchannel friction factor for infinite bare rod square and triangular arrays of low pitch to diameter ratio in turbulent flow 157 (1995) 197
Lemaitre, P., see Doctor, S.R. 157 (1995) 231

Malaník, K., see Bystrianský, J. 157 (1995) 123
Mieda, T., see Kimura, K. 157 (1995) 49
Moriya, S., see Kimura, K. 157 (1995) 49
Moussavi Zadeh, G., K.-D. Hardtke, P. Wossidlo and K. Wobst, The importance of the triaxiality modified J concept for the assessment of pressurized components with surface flaws 157 (1995) 111
Muráni, J., Accident localization system with jet condensers for VVER 440–V 230 NPP at Jaslovské Bohunice 157 (1995) 387

Nagata, T., see Okada, J. 157 (1995) 65
Nakagawa, M., see Horiuchi, T. 157 (1995) 37
Nakagawa, M., H. Endo and M. Kawashima, Development of the core-bowing reactivity analysis code system ATLAS and its application to a large FBR core 157 (1995) 15
Nakagawa, M., M. Fukuyama, K. Ishihama, H. Ikeuchi, Y. Hagiwara and H. Akiyama, Pseudo-dynamic buckling experiments on thin cylindrical shells under biaxial seismic loads 157 (1995) 27
Ninokata, H., see Sawada, T. 157 (1995) 177
Nuala, M., see Rust, H. 157 (1995) 337

Ogura, K., see Kimura, K. 157 (1995) 49
Okada, J., K. Iwata, K. Tsukimori and T. Nagata, An evaluation method for elastic–plastic buckling of cylindrical shells under shear forces 157 (1995) 65

Parks, M.B., see von Riesemann, W.A. 157 (1995) 481
Pennell, W.E. and W.R. Corwin, Reactor pressure vessel structural integrity research 157 (1995) 159
Piques, R., see Laiarinandrasana, L. 157 (1995) 1

Raj, D., see Au-Yang, M.K. 157 (1995) 93
Rashid, Y.R., see Tang, H.T. 157 (1995) 455
Reale, S. and L. Tognarelli, Structural integrity significance of round robin testing trials Application to PISC III Action 3 157 (1995) 257
Reim, W. and D. Hurlebaus, Protection of the containment of the twin BWR KRB II plant against overpressure failure during severe accidents 157 (1995) 321
Richard, P., see Szabo, I. 157 (1995) 417
Ritenour, E.M., see Kamboj, B.K. 157 (1995) 205
Rust, H., C. Tännler, W. Heintz, D. Haschke, M. Nuala and R. Jakab, Pressure release of containments during severe accidents in Switzerland 157 (1995) 337

Santucci, J., see DeVine, Jr., J.C. 157 (1995) 469
Sawada, T., H. Ninokata and A. Shimizu, Calculation of a materials relocation experiment simulating a core disruptive accident condition in fast breeder reactors 157 (1995) 177
Schatz, A. and K.-D. Hocke, KESS–a modular program system to simulate and analyze core melt accidents in light water reactors 157 (1995) 269
Schmidt, K., see Heck, R. 157 (1995) 311
Schmitz, V., K.J. Langenberg, W. Kappes and M. Kröning, Inspection procedure assessment using modelling capabilities 157 (1995) 245
Seiler, J.M., see Szabo, I. 157 (1995) 417
Shimizu, A., see Sawada, T. 157 (1995) 177
Sun, B.C., see Ha, J.L. 157 (1995) 81
Szabo, I., P. Richard, Y. Bergamaschi and J.M. Seiler, A multi-crucible core-catcher concept: Design considerations and basic results 157 (1995) 417

Takakuwa, M., see Kimura, K. 157 (1995) 49
Tammi, P., see Vaurio, J.K. 157 (1995) 281
Tang, H.T., R.A. Dameron and Y.R. Rashid, Probabilistic evaluation of concrete containment capacity for beyond design basis internal pressures 157 (1995) 455
Taubner, R., see Téchy, Z. 157 (1995) 375
Tännler, C., see Rust, H. 157 (1995) 337
Téchy, Z., G. Lajtha and R. Taubner, Accident loads for a VVER-440/213 containment 157 (1995) 375
Theiner, W., see Dobmann, G. 157 (1995) 137
Tobita, T., see Fukuda, K. 157 (1995) 221
Tognarelli, L., see Reale, S. 157 (1995) 257
Tromm, W. and H. Alsmeyer, Experiments for a core catcher concept based on water addition from below 157 (1995) 437
Tsukimori, K., see Okada, J. 157 (1995) 65
Tvrdý, M., see Bystrianský, J. 157 (1995) 123

Ušpuras, E., A. Kaliatka and K. Almenas, Verification of design characteristics of the RBMK-1500 accident confinement system 157 (1995) 353

Vaurio, J.K. and P. Tammi, Modeling the loss and recovery of electric power 157 (1995) 281
von Riesemann, W.A. and M.B. Parks, Current state of knowledge on the behavior of steel liners in concrete containments subjected to overpressurization loads 157 (1995) 481

Weisshäupl, H.A. and D. Bittermann, Large spreading of core melt for melt retention–stabilization 157 (1995) 447
Wider, H.U., Transient cooling of shallow debris beds in the first two FARO–LWR experiments 157 (1995) 395
Willems, H., see Dobmann, G. 157 (1995) 137
Wobst, K., see Moussavi Zadeh, G. 157 (1995) 111
Wossidlo, P., see Moussavi Zadeh, G. 157 (1995) 111

Yamamoto, K., see Kimura, K. 157 (1995) 49

Zimmer, H.J., see Heck, R. 157 (1995) 311

ELSEVIER

Nuclear Engineering and Design 157 (1995) 497–498

Nuclear Engineering and Design

Subject Index of Volume 157

Thermal and fluid design

Development of the core-bowing reactivity analysis code system ATLAS and its application to a large FBR core, M. Nakagawa, H. Endo and M. Kawashima 157 (1995) 15

Experimental and analytical studies on the multi-surface sloshing characteristics of a top entry loop type FBR, K. Kimura, K. Ogura, T. Mieda, K. Yamamoto, Y. Eguchi, S. Moriya, Y. Hagiwara, M. Takakuwa, T. Kodama and K. Koike 157 (1995) 49

Engineering mechanics

Local stress factors of a pipe-nozzle under internal pressure, J.L. Ha, B.C. Sun and B. Koplik 157 (1995) 81

Flow-induced vibration test of an advanced water reactor model. Part 1: turbulence-induced forcing function, M.K. Au-Yang, B. Brenneman and D. Raj 157 (1995) 93

The importance of the triaxiality modified J concept for the assessment of pressurized components with surface flaws, Gh. Moussavi Zadeh, K.-D. Hardtke, P. Wossidlo and K. Wobst 157 (1995) 111

Materials properties

The importance of the triaxiality modified J concept for the assessment of pressurized components with surface flaws, Gh. Moussavi Zadeh, K.-D. Hardtke, P. Wossidlo and K. Wobst 157 (1995) 111

Determination of conditions leading to localized corrosion initiation on UNS S32100 (AISI 321) stainless steels in nuclear power plant environments, J. Bystriansky, J. Bárta, M. Tvrdý and K. Malaník 157 (1995) 123

Nondestructive characterization of materials (ultrasonic and micromagnetic techniques) for strength and toughness prediction and the detection of early creep damage, G. Dobmann, M. Kröning, W. Theiner, H. Willems and U. Fiedler 157 (1995) 137

Reactor pressure vessel structural integrity research, W.E. Pennell and W.R. Corwin 157 (1995) 159

Mechanical design, component fabrication and testing

Crack initiation under creep and creep–fatigue on CT specimens of an austenitic stainless steel, L. Laiarinandrasana, R. Piques, B. Drubay and C. Faidy 157 (1995) 1

Pseudo-dynamic buckling experiments on thin cylindrical shells under biaxial seismic loads, M. Nakagawa, M. Fukuyama, K. Ishihama, H. Ikeuchi, Y. Hagiwara and H. Akiyama 157 (1995) 27

Development of SAFA, a seismic analysis program for FBR core components, T. Horiuchi, M. Nakagawa and H. Kasai 157 (1995) 37

Experimental and analytical studies on the multi-surface sloshing characteristics of a top entry loop type FBR, K. Kimura, K. Ogura, T. Mieda, K. Yamamoto, Y. Eguchi, S. Moriya, Y. Hagiwara, M. Takakuwa, T. Kodama and K. Koike 157 (1995) 49

An evaluation method for elastic–plastic buckling of cylindrical shells under shear forces, J. Okada, K. Iwata, K. Tsukimori and T. Nagata 157 (1995) 65

Determination of conditions leading to localized corrosion initiation on UNS S32100 (AISI 321) stainless steels in nuclear power plant environments, J. Bystriansky, J. Bárta, M. Tvrdý and K. Malaník 157 (1995) 123

Nondestructive characterization of materials (ultrasonic and micromagnetic techniques) for strength and toughness prediction and the detection of early creep damage, G. Dobmann, M. Kröning, W. Theiner, H. Willems and U. Fiedler 157 (1995) 137

Reactor pressure vessel structural integrity research, W.E. Pennell and W.R. Corwin 157 (1995) 159
Austenitic steel piping testing exercises in PISC, S.R. Doctor, P. Lemaitre and S. Crutzen 157 (1995) 231
Structural integrity significance of round robin testing trials. Application to PISC III Action 3, S. Reale and L. Tognarelli 157 (1995) 257
GKN I and GKN II: Reactor containment pressure relief and measures against hydrogen energy release in case of severe accidents, J. Kolditz 157 (1995) 299
Hydrogen reduction following severe accidents using the dual recombiner–igniter concept, R. Heck, G. Kelber, K. Schmidt and H.J. Zimmer 157 (1995) 311
Protection of the containment of the twin BWR KRB II plant against overpressure failure during severe accidents, W. Reim and D. Hurlebaus 157 (1995) 321
Pressure release of containments during severe accidents in Switzerland, H. Rust, Ch. Tännler, W. Heintz, D. Haschke, M. Nuala and R. Jakab 157 (1995) 337
Verification of design characteristics of the RBMK-1500 accident confinement system, E. Ušpuras, A. Kaliatka and K. Almenas 157 (1995) 353
The evaluation of the bubble condenser containment of VVER-440/213 plants, H. Karwat 157 (1995) 363
Accident loads for a VVER-440/213 containment, Z. Téchy, G. Lajtha and R. Taubner 157 (1995) 375
Accident localization system with jet condensers for VVER 440–V 230 NPP at Jaslovské Bohunice, J. Muráni 157 (1995) 387
Transient cooling of shallow debris beds in the first two FARO–LWR experiments, H.U. Wider 157 (1995) 395
Fluid-dynamic loading during lower head failure, G. Jacobs 157 (1995) 409
A multi-crucible core-catcher concept: Design considerations and basic results, I. Szabo, P. Richard, Y. Bergamaschi and J.M. Seiler 157 (1995) 417
Experiments for a core catcher concept based on water addition from below, W. Tromm and H. Alsmeyer 157 (1995) 437
Large spreading of core melt for melt retention–stabilization, H.A. Weisshäupl and D. Bittermann 157 (1995) 447
Probabilistic evaluation of concrete containment capacity for beyond design basis internal pressures, H.T. Tang, R.A. Dameron and Y.R. Rashid 157 (1995) 455
The passive ALWR approach to assuring containment integrity, J.C. DeVine, Jr., W. Layman, D.E.W. Leaver and J. Santucci 157 (1995) 469
Current state of knowledge on the behavior of steel liners in concrete containments subjected to overpressurization loads, W.A. von Riesemann and M.B. Parks 157 (1995) 481

Reactor concepts and systems analysis

Inspection procedure assessment using modelling capabilities, V. Schmitz, K.J. Langenberg, W. Kappes and M. Kröning 157 (1995) 245
KESS–a modular program system to simulate and analyze core melt accidents in light water reactors, A. Schatz and K.-D. Hocke 157 (1995) 269
Modeling the loss and recovery of electric power, J.K. Vaurio and P. Tammi 157 (1995) 281

Isotope engineering

Development of the core-bowing reactivity analysis code system ATLAS and its application to a large FBR core, M. Nakagawa, H. Endo and M. Kawashima 157 (1995) 15

Core physics and fuel design

Irradiation behavior of HTGR coated particle fuel at abnormally high temperature, K. Fukuda, S. Kashimura, T. Tobita and T. Kikuchi 157 (1995) 221

Nuclear safety

KESS–a modular program system to simulate and analyze core melt accidents in light water reactors, A. Schatz and K.-D. Hocke 157 (1995) 269

Thermal-hydraulics and safety

Calculation of a materials relocation experiment simulating a core disruptive accident condition in fast breeder reactors, T. Sawada, H. Ninokata and A. Shimizu 157 (1995) 177
Analytical prediction of subchannel friction factor for infinite bare rod square and triangular arrays of low pitch to diameter ratio in turbulent flow, K.B. Lee 157 (1995) 197
Gravity-driven countercurrent two-phase flow during filling of an unvented vessel, B.K. Kamboj, E.M. Ritenour, S.M. Ghiaasiaan and S.I. Abdel-Khalik 157 (1995) 205